

# Urban 5-Piece Combo

Premium Finish Face Mix Technology




Photo courtesy of Wisam Landscaping & Services Ltd.

5-Piece Combo - Espresso

Our Urban pavers in the 5-piece combo are the ultimate choice for the modern home. The absence of chamfers enhances the appearance of the various sizes creating the appearance of cut stone.

## COMBO MOLD 5-PIECE:



Size (in)	Type	Sq.ft. per Pallet	Shipping Weight	PCS / Pallet
6" x 6" x 2-3/8" 151mm x 151mm x 60mm	A	108	1361kg / 3000lbs	54
6" x 9" x 2-3/8" 151mm x 228mm x 60mm	B			90
6" x 12" x 2-3/8" 151mm x 304mm x 60mm	C			27
9" x 9" x 2-3/8" 228mm x 228mm x 60mm	D			36
9" x 12" x 2-3/8" 228mm x 304mm x 60mm	E			36

All sizes including 3 mm Spacer Bars

## COMBO MOLD PALLET LAYOUT

Image below shows the paver configuration on the pallet, see page 34 for laying pattern.

E	E	E	E	C	C
D	B	B	B	B	D
D	B	B	B	B	D
A	A	A	A	A	C



Please note, the lack of a chamfer requires installers to handle Urban pavers with more care than typical pavers.

## RECOMMENDED APPLICATIONS



Patios



Walkways



Residential Driveway/Parking




**Natural****Glacier****Espresso****Winter Sky****Charcoal**

# Installation Instructions:


## Permeable Installation

### FULL EXFILTRATION



- 1 Paver
- 2 Joint filling material ASTM No 10 (CSA 2-3mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5-10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5-28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40-80mm) aggregate
- 6 Geotextile (optional)
- 7 Subgrade
- 8 Concrete Edge

## Sand Set Installation



- 1 Paver
- 2 Sand joint fill
- 3 Bedding Sand 1"
- 4 Extra width equal to foundation thickness
- 5 Lawn
- 6 Plastic edge or other type of edge restraint
- 7 Nail
- 8 Geotextile (optional)
- 9 Compacted aggregate base with 3/4" minus material
- 10 Subgrade

**H-20**  
**HS-20**

All our pavers meet the H-20/H-S20 loading requirements. This determination allows for an occasional heavy vehicle such as a fire truck driving on the pavers. Specific site requirements will determine the appropriate paver usage. For example, heavily trafficked areas require more robust pavers installed in specific laying patterns.

For more information on H-20/HS-20 Loading, please visit:  
[www.newstonegroup.ca/H-20-HS-20-Loading.pdf](http://www.newstonegroup.ca/H-20-HS-20-Loading.pdf)



Scan QR code  
for more information